




Manufacture By :
Royal Hardware Rajkot (Gujarat)



active - accurate - affordable



Dual bering

- » The Floor Spring is manufactured from alloy steel material.
- » The Floor Spring tested 5 Lac cycle.
- » Arrangement for double speed, as per requirement.
- » Pinion Manufactured from steel alloy duty machined and heat-treated.
- » Right-hand and left-hand opening doors.
- » Door / Frame mounting.
- » Door opening angle up to 90 degrees hold.
- » S.S. Matt & Glossy Brass Matt & Glossy
- » Double regulating valve independently controls and adjusts closing and latching speeds.
- » Stainless Steel Plate.
- » Pinot Cover Plate Material is stainless steel.
- » The Pinot is adjustable in door.
- » Process with German technology.
- » Heave duty & Compact size.



Technical Specification

Model No.	Adjustable Power	Body Size (mm)	Width -Height of Door (mm)	Wieght of Door (kg.)
R-301	6	290 x 115 x 46	1500 x 2400	90 -120

Suitable For :

- Right-Hand and Left-Hand Opening Doors,
- Door Weight up to 60 to 80 Kg.
- Door/Frame Mounting
- Up to 110° Opening Doors

Superior Features :

- Body Manufactured from special aluminium alloy section and machined to extreme accuracy.
- Rack and Pinion Manufactured from Steel Duly Machined and Heat-Treated.



Technical Specification

Model No.	Speed	Body Size (mm)	Wieght of Door (kg.)
R-101	Dual	180 x 36.5 x 39.5	60 - 80

Suitable For :

- Right-Hand and Left-Hand Opening Doors,
- Door Weight up to 85 to 100 Kg.
- Door/Frame Mounting
- Up to 110° Opening Doors

Superior Features :

- Body Manufactured from special aluminium alloy section and machined to extreme accuracy.
- Rack and Pinion Manufactured from Steel Duly Machined and Heat-Treated.



Technical Specification

Model No.	Speed	Body Size (mm)	Wieght of Door (kg.)
R-201	Dual	195 x 36 x 41.5	85 - 100